

Description

Indoor drop coaxial cable for digital reception - 75 Ohm

Cable for digital reception

**Data Sheet****DG80SG**

Ø	0,80	3,50	3,60	4,00
	(Cu)	(PEG)	(Al/Pet/Al)	(CuSn)

Construction data

Inner conductor of plain copper	(Cu)	Ø 0,80 ± 0,02	mm
Dielectric of physical foam polyethylene	(PEG)	Ø 3,50 ± 0,10	mm
Aluminum/Polyester/Aluminum tape longitudinally overlapped	(Al/Pet/Al)		
Water repellent sealing (dielectric)	(Jelly1)		
Braid of tinned copper wires	(CuSn)		
Braid optical coverage (IEC 96-1)		65	%

Physical data

Weight of copper conductors	11,13	kg/km
Total weight of cable	15,48	kg/km
Minimum bending radius (single/repeated bending)	25/50	mm
Maximum cable pulling strength	90	N

Electrical data

Characteristic impedance	200 MHz	75 ± 3	Ohm
Capacitance (@1kHz)		52 ± 2	pF/m
Velocity Ratio		85 %	
Inner conductor resistance		35	Ohm/km
Outer conductor resistance		18,60	Ohm/km
Loop resistance		53,60	Ohm/km
Maximum current (I _{eff})		4	A

Structural return loss (SRL)

5 - 470 MHz	>30 dB
470 - 1000 MHz	>28 dB
1000 - 2000 MHz	>26 dB
2000 - 3000 MHz	>22 dB

Screening Attenuation (SA)	SA-Class A	Transfer Impedance (Z _t)	Z _t -Class B
30 - 1000 MHz	>90 dB	5 - 30 MHz	< 9 mOhm/m
1000 - 2000 MHz	>75 dB		
2000 - 3000 MHz	>65 dB		

ITALIANA CONDUTTORI s.r.l.

Viale Zanotti 90 I - 27027 Gropello Cairoli
 Tel +39-382.815150 Fax +39-0382.814212

Date

29/02/2016

Responsible

Alberto Scardovi


Description

Indoor drop coaxial cable for digital reception - 75 Ohm

Cable for digital reception

**Data Sheet****DG80SG****Attenuation (at 20°C)**

Frequency [MHz]	Attenuation [dB/100m]	Frequency [MHz]	Attenuation [dB/100m]
5	1,90	862	24,20
10	2,60	1000	26,20
30	4,20	1750	35,30
50	5,50	2150	39,60
200	11,20	2400	42,20
300	13,90	3000	48,00
470	17,50		

Attenuazione di schermatura / Screening Attenuation**Cavo classe A / A Class Cable****Cavo tipo / Cable type : DG 80****ITALIANA CONDUTTORI s.r.l.**

Viale Zanotti 90 I - 27027 Gropello Cairoli

Tel +39-382.815150 Fax +39-0382.814212

Date

29/02/2016

Responsible

Alberto Scardovi